

Invariant histograms and signatures for object recognition, symmetry detection, and jigsaw puzzle assembly

Peter J. Olver¹

¹ *University of Minnesota, Minneapolis, MN, USA, olver@umn.edu*

I will survey recent developments in the use of differential invariant signatures for object recognition and symmetry detection in images, including applications to automated jigsaw puzzle assembly in both 2 and 3 dimensions.

References

- [1] Calabi, E., Olver, P.J., Shakiban, C., Tannenbaum, A., and Haker, S., *Differential and numerically invariant signature curves applied to object recognition*, Int. J. Computer Vision **26** (1998) 107–135.
- [2] Brinkman, D., and Olver, P.J., *Invariant histograms*, Amer. Math. Monthly **119** (2012) 4–24.
- [3] Hoff, D., and Olver, P.J., *Extensions of invariant signatures for object recognition*, J. Math. Imaging Vision **45** (2013) 176–185.
- [4] Hoff, D., Olver, P.J., *Automatic solution of jigsaw puzzles*, J. Math. Imaging Vision **49** (2014) 234–250.
- [5] Grim, A., Olver, P.J., Shakiban, C., Slechta, R., and Thompson, R., *Automatic reassembly of three-dimensional jigsaw puzzles*, preprint, 2015.